


ROY3306B




- TV Size Range: 10" to 32"
- Maximum Weight Capacity: 25 kg /55lbs
- Easy to install: sliding plate operation
- Low profile: only 15mm from wall
- Universal VESA mount


INSTALLATION MANUAL

engineered by
 Skywalker

Hardware Kit:




ID	Qty	Description
1	1	Wall plate
2	1	Adapter bracket
A1	4	M4x8mm bolt
	4	M4x12mm bolt
A2	4	M5x8mm bolt
	4	M5x12mm bolt
A3	4	M5 washer
B1	2	Long bolt
B2	2	Wall anchor
B3	2	Long bolt washer




Part 1a-Wood stud mounting

Use wall plate(1) as a template, make sure it is level, and mark two mounting holes along the center line of the wood stud. Drill two 1/8" (3mm) dia. holes 60mm deep. Level wall plate(1) and attach to wall with two long bolts(B1) and two washers(B3). Tighten screws firmly. Do not overtighten.




Part 1b-Concrete wall mounting

Level wall plate(1) and use wall as a template to mark two holes. Drill two 7/16" (10.5mm) dia. holes 60mm deep. Insert two anchors(B2) into holes and secure wall plate with two long bolts(B1) and two washers(B3). Tighten screws firmly. Do not overtighten.



Part 2-Attaching adapter bracket to screen

Center adapter bracket(2) flat on back of the screen and align the four mounting holes. Select screws(A1,A2). Attach adapter bracket(2) to screen using four selected screws and four square washers(A3). Tighten screws firmly. Do not overtighten.



Part 3-Attaching adapter bracket to wall plate

Attach adapter bracket(2) to wall plate(1) by sliding flanges of adapter bracket(2) into flanges of wall plate(1). Tighten screws firmly. Do not overtighten.

ROY3306B



Thank you for choosing our product

⚠ CAUTION

This product was designed to be installed on wood stud walls and solid concrete walls. Before installing make sure the supporting surface will support the combined load of the equipment and hardware. Never exceed the Maximum Load Capacity. This product is intended for indoor use only. Use of this product outdoors could lead to product failure or personal injury.

⚠ Warning

This product contains small items that could be a choking hazard if swallowed. Keep these items away from young children !

1. Make sure these instructions are read and completely understood before attempting installation. If you are unsure of any part of this installation, contact a professional installer for assistance.
2. The wall or mounting surface must be capable of supporting the combined weight of the mount and the display; otherwise the structure must be reinforced.
3. Safety gear and proper tools must be used. A minimum of two people are required for this installation. Failure to use safety gear can result in property damage, serious injury or death.