


ROY5604B

USER MANUAL



FULL-MOTION WALL MOUNT

Flat Panel TV's

37"-70"

INTRODUCTION

Congratulations!

The ROY5604B Full-Motion Wall Mount is a great solution for mounting TV's ranging from 37 inches up to 70 inches. This mount can support up to 77 pounds. It has a profile that ranges between 1.93 and 24 inches from the wall.



TV SIZE
37" - 70"



77lbs

MAX LOAD
77lbs



1.93-24 INCH
PROFILE






MAX VESA
600 X 400



BLACK
FINISH

WHAT'S IN THE BOX


Mount Pieces

A (x1)	B (x2)	C (x1)	D (x2)
			
E (x1)	F (x1)		
			

TV Mounting Hardware

M-A (x4)	M-B (x4)	M-C (x4)	M-D (x4)	M-E (x4)	M-F (x4)	M-G (x8)	M-H (x8)
							
M5x14	M6x14	M6x30	M8x30	M8x50			

Wall Mounting Hardware

W-A (x4)	W-B (x4)	W-C (x4)
		

Tools Needed

- Level
- Pencil
- Drill
- Screwdriver (Phillips)
- Stud Finder *

VESA Patterns


- 200x200
- 400x200
- 600x400
- 300x300
- 400x400

INSTALLATION


Step 1: Mount the back plate to the wall

For Drywall


1. Remove covers to access wall plate




2. Level, mark & drill 3/16" holes for each screw



3. Mount back plate to the wall




4. Fasten the covers to the mount




For Concrete


1. Remove covers to access wall plate




2. Level, mark & drill 3/8" holes for each anchor/screw



3. Mount the back plate to the wall




4. Fasten the covers to the mount




INSTALLATION

Step 2: Mount the VESA bracket to the TV

1. Align & attach brackets to TV




2. Use appropriate spacers if necessary




Step 3: Secure TV

1. Connect brackets to mounting arm




2. Make sure hardware isn't loose




Step 4: Make Final Adjustments

1. Hide wires along mount arm



2. Position TV for best viewing angle



LIMITED LIFETIME WARRANTY

This Royal product carries a LIMITED LIFETIME WARRANTY on both parts and labor. Should your mount fail to operate properly at any time during the warranty period, Royal will repair or replace (at our option) the item barring any indication of misuse or abuse. Freight to a Royal authorized facility is paid by the customer. Return freight is paid by Royal. Warranty registration occurred automatically at the time your order was placed. There is no need to complete or mail in additional paperwork. If you have any questions about the operation or installation of this product, please call our distributor, Skywalker AV Supply at (800) 844-9555 or (636) 272-8025. Skywalker AV Supply hours of operation are from 8am to 5pm CST.

SUPPORT

800.844.9555
techsupport@skywalker.com
skywalker.com

© 2018 Royal Mounts
All Rights Reserved